

BURG PULLERS

Antique & Farm Tractor Pull

JUNE 6TH 2009 Rain or Shine

Blacktop Pull With A Pace

Weigh-In at 8:00 AM – 10:30 AM

Pull Starts at 11:00 AM

Antique (1957 & Older)

3PM FARM CLASS

OGDENSBURG

Scandinavia Aug 2

Pure Stock Class

	<u>3.5 mph paced</u>	<u>Max Tire Size</u>
A	3700 lbs. and under	15.5
B	4000 lbs. and under	15.5
C	4500 lbs. and under	15.5
D	5000 lbs. and under	16.9
E	5500 lbs. and under	16.9
F	6000 lbs. and under	16.9
G	7000 lbs. and under	18.4
H	7500 lbs. and under	18.4

Near Stock Class

	<u>3.5 mph paced</u>	<u>Max Tire Size</u>
I	3700 lbs. and under	15.5
J	4000 lbs. and under	15.5
K	4500 lbs. and under	16.9
L	5000 lbs. and under	16.9
M	5500 lbs. and under	16.9
N	6000 lbs. and under	16.9
O	6500 lbs. and under	16.9
P	7000 lbs. and under	18.4
Q	7500 lbs. and under	18.4

Antique (100% Payback)

	<u>6.0 mph paced</u>	<u>Max Tire Size</u>
R	3750 lbs. and under	15.5
S	4250 lbs. and under	15.5
T	4750 lbs. and under	18.4
U	5750 lbs. and under	18.4
V	6750 lbs. and under	18.4

Antique (100% Payback)

	<u>OPEN mph paced</u>	<u>Max Tire Size</u>
R R	3750 lbs. and under	15.5
S S	4250 lbs. and under	15.5
T T	4750 lbs. and under	18.4
U U	5750 lbs. and under	18.4
V V	6750 lbs. and under	18.4

Unlimited Antique

	<u>4.0 mph paced</u>	<u>Max Tire Size</u>
GG	12,000 lbs. Max	None

Farm Class

	<u>8.0 mph paced</u>	<u>Max Tire Size</u>
H H	8000 lbs. and under	18.4
I I	9000 lbs. and under	18.4
J J	10,500 lbs. and under	30.4
K K	12,500 lbs. and under	30.4
L L	14,500 lbs. and under	30.4

First, second and third place trophy in all classes (except money classes). Cash prizes for all classes depending on the number of tractors in each class.

For more information contact Terry Boutwell at 920-572-0642 or Gary Hotvedt at 920-538-2520

PURE STOCK (3.5 MPH)

- 1 Must be 1957 or older.
- 2 Hp must be close to manufacturer's specs.
- 3 Engine, stock block, head, manifold, carb (by part #), no add-on parts not in original parts book. No electronic ignitions, stock coil only.
- 4 Rigid drawbar must not exceed 20" in height, nor can be closer than 18" from the center line of the rear axle. If tractor has a drawbar, you must pull off of it.
- 5 Tractors must have stock appearance.
- 6 No cut or sharpened tires.
- 7 No weight brackets, only wheel weights placed on wheels.
- 8 Engine must be controlled by throttle lever in a functional stock governor only. No strings, wires or foot feeds allowed.
- 9 Tractors will be dyno'ed if questioned, RPM limits will be enforced!!!
- 10 No Farmall M, Oliver 88, Massey 44, or Minneapolis U under 5000#

NEAR STOCK (3.5 MPH 20% OVER RPM)

- 1 Must be 1957 or older.
- 2 Front weights shall not exceed more than 24" beyond the center of the front frames outmost casting. Rear weight not to exceed 24" behind center rear axle.
- 3 Rigid drawbar must not exceed 20" in height, nor can be closer than 18" from the center line of the rear axle.
- 4 Engine speed must be controlled by the throttle lever and a functional stock governor only. No strings, wires or foot feeds allowed. ALL TRACTOR RPM LIMITS ENFORCED.
- 5 Wheelie bars, kill switches, recommended, but not mandatory.
- 6 Fenders are mandatory.
- 7 Tractor must have stock appearance.
- 8 Must run stock block transmission, rear end, steel metal etc.
- 9 Horse power must be close to 20% over stock.

UNLIMITED ANTIQUE (4 MPH)

- 1 Must be 1957 or older.
- 2 Front weights shall not exceed more than 24" beyond the center of the front frames outmost casting.
- 3 Rear weights not to exceed 24" behind center rear axle.
- 4 Rigid drawbar must not exceed 20" in height, nor can be closer than 18" from the center line of the rear axle.
- 5 Total tractor weight will not exceed 12,000 lbs.
- 6 Must run stock block transmission, rear end, sheet metal, etc.

ANTIQUE (6 MPH & 8 MPH)

- 1 Must be 1957 or older.
- 2 Must run stock block transmission, rear-end, sheet metal, etc.
- 3 Cut tires are allowed.
- 4 Wheelie bars, kill switches, and fenders are mandatory!!!
- 5 RPM's over 20% must have safety equipment (safety blanket, scatter shield, steel fly wheel, shroud around fan or side shields, etc.)
- 6 Engine speed must be controlled by throttle lever and a functional stock governor only. No strings, wires or foot feeds allowed.
- 7 Drawbar height of 20" and must be rigid.

FARM STOCK (8MPH)

- 1 Stock blocks, transmissions, rear-ends.
- 2 No 4WD.
- 3 Ta's shift on the go is okay.
- 4 Non-turbo, turbo, and gas all pull together.
- 5 No Duels.
- 6 Tractor must run on gasoline, diesel, or LP.
- 7 It's a good time to call your neighbor for a grudge match to see whose tractors are the neighborhood bosses!!!!

****Rules may change prior to pull**** All classes will stand at drivers meeting!!!

ALL TIRE SIZES ARE SHOWN ON WEIGHT CLASSES.

RULES OF BURG PULLERS TRACTOR PULL

- 1 Anyone 14-18 years old must have a parent signature and hold a safety class certificate with them. NO EXEPTIONS!!!!
- 2 Tractors must be operated in a safe manner at all times. Anyone driving recklessly or tampering with another persons tractor will be disqualified from pulling.
- 3 One pull allowed per tractor in each class, unless the track judge rules otherwise, or if a tie is declared in top placing tractors. If disqualification is ruled on the top placing tractor, all other tractors will be moved up one place.
- 4 Any tractor violating the track boundary will be disqualified. The decision of the track judge will be final.
- 5 Tractors will be stopped if the front end rises higher than the track judge determines is safe.
- 6 Extra weights must be securely fastened to the tractor. If anything falls off before the pin is pulled, the tractor will be disqualified.
- 7 Any gas powered tractor must use gasoline only.
- 8 While pulling the driver must remain on the seat (if so equipped) with one hand on the wheel. No jumping or bouncing will be allowed, however, leaning will be allowed.
- 9 Tractors must stop immediately upon the red flag signal from the judge or be disqualified. If puller is stopped by the track judge for any reason, puller takes the distance where he stopped except if it is in the first fifty feet. If stopped within the first fifty feet, the puller is entitled to a restart.
- 10 Tractors must be wheel driven, no crawlers or dual wheels, and no FWD, or steel wheels.
- 11 Puller must furnish own clevis or pullers eye to accept eliminators hook. (Minimum 2.5" hole. PULLING POINT CAN BE NO MORE THAN 1.5" FROM THE BACK EDGE OF HITCHING DEVICE.)
- 12 No torque amplifiers, or shift on the go. Only in farm stock classes.
- 13 Tires may be turned backwards in all classes.
- 14 Track judges ruling is final in all areas or dispute not covered in the rules.
- 15 REMEMBER EXCESSIVE CONSUMPTION OF ALCOHOL AND OPERATING TRACTORS DO NOT MIX. BE RESPONSIBLE!!!!!!!!!!!!!!!!!!!!!!!!!!!!